


# NEW LEGAL REQUIREMENTS FOR CHILD SAFE BLINDS

## Surveyors and Installers Guide for Made-To-Measure Blinds

### Maximum Cord and Chain Lengths where Installation Height IS SPECIFIED




Source: BS EN 13120:2009+A1:2014

# NEW LEGAL REQUIREMENTS FOR CHILD SAFE BLINDS

## Surveyors and Installers Guide for Made-To-Measure Blinds

### Maximum Cord and Chain Lengths where Installation Height is NOT SPECIFIED



Source: BS EN 13120:2009+A1:2014


# NEW LEGAL REQUIREMENTS FOR CHILD SAFE BLINDS

## Surveyors and Installers Guide for Made-To-Measure Blinds

The following two illustrations demonstrate where Installation Height IS SPECIFIED

### Blinds with pull cords accumulation devices


Examples - Blinds with/without cord locks such as venetian, roman and pleated



1. Name or trademark on the blind
2. General warning notice left on the blind
3. Product instructions left with the customer
4. Accumulation device securely fitted at least 1.5m from floor and as near to the headrail as possible
5. Non-tangle tassels. An accumulation device also required if cords at lowest point (fully tilted) extend below 1.5m from the floor
6. Cord stops to be fitted as close to the headrail as possible and not more than 50mm away, with the blind being in the fully extended position
7. If more than two pull cords (and less than 5) a breakaway system is needed (this may also operate as a cord stop - see 6 above).

### Blinds with looped cords tensioning devices

Examples - Blinds with side chain/cord operation such as rollers, verticals, romans and venetians



1. Name or trademark on the blind
2. General warning notice left on the blind
3. Product instructions left with the customer
4. Tensioning device securely fitted at the maximum distance from the headrail and at least 1.5m from the floor

# NEW LEGAL REQUIREMENTS FOR CHILD SAFE BLINDS

## Surveyors and Installers Guide for Made-To-Measure Blinds

### Installation Height MUST BE SPECIFIED for chainbreak devices

#### Blinds with breakaway devices

Examples - Blinds with side chain/cord operation where the full length of the cord or chain does not go through the mechanism to fully raise/lower the blind

